

The Clustered Universe

Het geclusterde heelal

Proefschrift

ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof. mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op woensdag 30 oktober 2013
klokke 15:00 uur

door

Steven Rieder
geboren te Zwolle
in 1983

Promotiecommissie

| | | |
|----------------|---|---|
| Promotores: | Prof. dr. Simon Portegies Zwart Prof. dr. Cees de Laat | (Universiteit van Amsterdam) |
| Overige leden: | Prof. dr. Henri Bal Dr. Paola Grosso Prof. dr. Steve McMillan Prof. dr. Huub Röttgering Prof. dr. Joop Schaye Prof. dr. Tom Theuns Prof. dr. Rien van de Weygaert | (Vrije Universiteit Amsterdam) (Universiteit van Amsterdam) (Drexel University) (Durham University) (Rijksuniversiteit Groningen) |

ISBN: 978-94-6191-915-1

© 2013 Steven Rieder, 

Dit werk is gelicenseerd onder een Creative Commons Naamsvermelding-GelijkDelen 3.0 Unported licentie. Ga naar <http://creativecommons.org/licenses/by-sa/3.0/> om een kopie van de licentie te kunnen lezen.

Dit proefschrift werd ondersteund door NWO IsFast grant #643.000.803 en het Leids Kerkhoven Bosscha fonds.

*Nou moe!?!
-- Guust¹*

¹Franquin (1972)

Contents

| | |
|---|-----------|
| Acronyms | ix |
| 1 Introduction | 1 |
| 1.1 Why simulate the Universe? | 2 |
| 1.2 Simulating gravity on a large scale | 2 |
| 1.2.1 Finding the initial conditions | 2 |
| 1.2.2 The Millennium run | 3 |
| 1.3 Work in this thesis | 5 |
| 1.3.1 The CosmoGrid project | 5 |
| 1.3.2 Obtaining computational power (Chapter 2) | 5 |
| 1.3.3 Results of CosmoGrid (Chapter 3) | 7 |
| 1.3.4 Galaxies in the void (Chapter 4) | 7 |
| 1.3.5 Star clusters in a dark matter halo (Chapter 5) | 7 |
| 1.3.6 Open clusters in a galaxy (Chapter 6) | 7 |
| 2 Cosmological simulations on a grid of supercomputers | 9 |
| 2.1 Introduction | 10 |
| 2.1.1 Related work | 10 |
| 2.2 Improvements to SUSHI | 11 |
| 2.3 Tests on a single site | 11 |
| 2.3.1 Setup | 11 |
| 2.3.2 Results | 12 |
| 2.4 Tests across three sites | 13 |
| 2.4.1 Setup | 13 |
| 2.4.2 Results | 14 |
| 2.5 User Experiences | 15 |
| 2.6 Conclusion | 16 |

| | | |
|----------|---|-----------|
| 3 | The CosmoGrid simulation | 19 |
| 3.1 | Introduction | 20 |
| 3.2 | Initial Conditions and Numerical Method | 22 |
| 3.3 | Results | 25 |
| 3.3.1 | Mass Function | 25 |
| 3.3.2 | Density Structures of Most Massive Halos | 30 |
| 3.3.3 | Concentration Distributions | 32 |
| 3.3.4 | Spin Distributions | 36 |
| 3.3.5 | Subhalo | 39 |
| 3.4 | Discussions and Summary | 42 |
| 3.A | The Effect of Dynamical State of Halos | 43 |
| 4 | Assembly of filamentary void galaxy configurations | 47 |
| 4.1 | Introduction | 48 |
| 4.1.1 | The Void Galaxy Survey | 49 |
| 4.1.2 | Outline | 50 |
| 4.2 | Simulations | 52 |
| 4.2.1 | Setup | 52 |
| 4.2.2 | Selection of the simulated haloes | 53 |
| 4.2.3 | Analysis of the environment | 55 |
| 4.3 | Evolution of void haloes | 58 |
| 4.3.1 | Halo Structure | 59 |
| 4.3.2 | Halo Assembly and Evolution | 60 |
| 4.3.3 | Dynamical Evolution | 61 |
| 4.4 | Large scale environment | 64 |
| 4.4.1 | The web-like environment of CGV-G | 64 |
| 4.4.2 | The wall-like environment of CosmoGrid Void systems (CGVs) | 68 |
| 4.4.3 | Intravoid Filaments | 69 |
| 4.4.4 | Evolution of the intravoid cosmic web | 70 |
| 4.5 | CGV halo configurations and VGS_31: a comparison | 76 |
| 4.5.1 | Size evolution of the CGVs | 79 |
| 4.5.2 | Energy considerations | 79 |
| 4.5.3 | The origin of VGS_31 | 81 |
| 4.6 | Discussion & Conclusions | 81 |
| 5 | Evolution of star clusters in a cosmological tidal field | 85 |
| 5.1 | Introduction | 85 |
| 5.2 | The experimental setup | 87 |
| 5.2.1 | The CosmoGrid N -body simulation | 87 |

| | | |
|----------|--|------------|
| 5.2.2 | Halo catalogue | 87 |
| 5.2.3 | The clusters | 88 |
| 5.2.4 | The tidal field | 93 |
| 5.2.5 | Combining the clusters and the tidal field | 93 |
| 5.2.6 | Escaping and bound stars | 95 |
| 5.2.7 | Validation | 95 |
| 5.3 | Results | 96 |
| 5.3.1 | The evolution of the selected haloes | 96 |
| 5.3.2 | The evolution of the star clusters | 98 |
| 5.4 | Discussion and conclusions | 104 |
| 6 | Evolution of star clusters in an evolving galaxy | 109 |
| 6.1 | Introduction | 110 |
| 6.2 | The experimental setup | 111 |
| 6.2.1 | The galaxy simulation | 111 |
| 6.2.2 | Star cluster models | 112 |
| 6.2.3 | Embedding star clusters in the galaxy | 113 |
| 6.3 | Results | 114 |
| 6.3.1 | Tidal fields | 114 |
| 6.3.2 | Cluster evolution | 117 |
| 6.3.3 | Comparison to observed open clusters | 119 |
| 6.3.4 | Influence of eccentricity on cluster properties | 120 |
| 6.3.5 | White dwarfs as a signature for tidal field strength | 120 |
| 6.4 | Discussion and conclusions | 122 |
| 7 | Samenvatting | 123 |
| 7.1 | Afstanden in het heelal | 123 |
| 7.2 | Samenstelling van het heelal | 124 |
| 7.3 | Simulaties | 126 |
| 7.4 | De hoofdstukken in dit proefschrift | 127 |
| 7.4.1 | Simulaties op gecombineerde supercomputers | 127 |
| 7.4.2 | De CosmoGrid simulatie | 127 |
| 7.4.3 | Ontstaan van sliertige melkwegen in leegtes | 128 |
| 7.4.4 | Evolutie van bolhopen in halo's van donkere materie | 129 |
| 7.4.5 | Evolutie van sterrenhopen in een melkweg | 129 |
| | Bibliography | 130 |
| | Curriculum Vitae | 147 |

Nawoord

149

Acronyms and used codes

Acronyms

| | |
|--------------------------------|---|
| 2dFGRS | Two-degree-Field Galaxy Redshift Survey |
| CDM | Cold Dark Matter |
| CGV | CosmoGrid Void system |
| CMB | Cosmic Microwave Background |
| DEISA | Distributed European Infrastructure for Supercomputing Applications |
| GBBP | Gravitational Billion Body Problem |
| GLIF | Global Lambda Integrated Facility (http://glif.is) |
| ΛCDM | Lambda Cold Dark Matter |
| SDSS | Sloan Digital Sky Survey |
| SPH | Smoothed-particle hydrodynamics |
| TCP | Transmission Control Protocol |
| TreePM | Tree-Particle-Mesh |
| VGS | Void Galaxy Survey |
| WMAP | Wilkinson Microwave Anisotropy Probe |

Used codes

| | |
|-------------------------|---|
| AMUSE | Astrophysical Multipurpose Software Environment |
| Bonsai | GPU-enabled Tree code (Bédorf et al. 2012) |
| Consistent Trees | Gravitationally Consistent Halo Catalogs and Merger Trees for Precision Cosmology (Behroozi et al. 2013b) |
| DTFE | Delaunay Tessellation Field Estimator |
| FFTW | Fastest Fourier Transform in the West (Frigo and Johnson 2005) |
| Fi | N-body/SPH code |
| GRAFIC | Code to generate initial conditions for cosmological simulations |
| GreeM | GRAPE TreePM (Yoshikawa and Fukushige 2005; Ishiyama et al. 2009b) |
| MPGRAFIC | Parallellised version of GRAFIC |
| MPWide | Light-weight communication library for distributed computing (Groen et al. 2010) |
| NEXUS+ | Algorithm for the identification of Cosmic Web Environments (Cautun et al. 2013) |
| ph4 | GPU-enabled direct N-body code |
| Rockstar | Robust Overdensity Calculation using K-Space Topologically Adaptive Refinement (Behroozi et al. 2013a) |
| SUSHI | Simulating the Universe Structure formation on Heterogeneous Infrastructures (Groen et al. 2011) |